


Brass BW2 Parts Cable Glands





Size of Brass BW Cable Glands	20 mm t25mm 32mm 40mm 50mm 63mm 75mm 90mm
Standard	BS 6121
Application	Dry Indoor, for use with all types of SWA Cable
Function	Provide mechanical Cable Retention & Electrical Wire continuity via Armoured Wire.
Material	Brass BS 2874 CZ121 Pb3
Optional Threads	METRIC, NPT, BSP, PG or as specified
Finish	Brass Finish, Nickel Finish, Chrome Finish or as specified
Operating Temp.	-800 C to +3000 C
Accessories	Matching Accessories available like PVC Shrouds, Lock Nuts, Earth Tag, Reducers, Adaptors, etc. as per the requirement . LSF Cable glands can also be offered. (Low smoke and fume) in kit form with earth tags PVC shrouds and lock nuts of steel or Brass.

Size	Thread Size 'C'		Minimum Langth of Thread 'D'	Cable Range	
	ММ	INCH	Minimum Length of Thread 'D'	MAX 'A'	MAX 'B'
BW 20S	20	3/4	10	13.00	15.50
BW 20L	20	3/4	10	14.00	18.50

BW 25L	25	1	10	20.50	26.00
BW 32L	32	1.1/4	10	27.00	33.90
BW 40L	40	1.1/2	15	33.00	41.50
BW 50S	50	2	15	38.50	47.00
BW 50L	50	2	15	44.00	52.00
BW 63S	63	2.1/2	15	51.00	59.20
BW 63L	63	2.1/2	15	56.50	65.50
BW 75S	75	3	15	63.00	74.00
BW 75L	75	3	15	68.50	79.50
BW 90L	90	3.1/2	20	80.50	91.00

Other Terms: Brass BW2 Parts Cable Glands, Brass, BW, Cable Glands, Brass Cable gland kits, Brass cable gland packs, PVC shrouds, lock nuts, earth tags, Brass earthing tags, Brass BW cable gland, Brass BW cable gland manufacturers, Indian suppliers Brass BW 2 parts cable glands, BW 2 part cable glands, Brass BW Cable glands, BW cable gland kits, Brass BW Cable gland packs, BW LSF cable glands, LSF Gland kits, Brass LSF cable glands

Brass BW 2 Parts Cable Glands | Brass BW3 Parts Cable Glands | Brass CW Cable Glands | Brass CX Type Cable Glands | Brass A2 Type Cable Glands | Brass E1W Cable Glands | Brass CXT Cable Glands | Brass Marine Cable Glands | Brass Metric Strain Relief Cable Glands

<u>Homepage</u> | <u>About Us</u> | <u>Brass Products</u> | <u>Brass Resources</u> | <u>Contact Us</u>

Neutral Links Brass Neutral bars | Brass Inserts | Brass Nuts | Brass Anchors | Brass Fasteners | Brass Bolts Brass Hex Nuts | Brass Washers | Jam Nuts BrassCoarse / Fine, Thread | BRASS Turned Parts | Copper Fittings Copper parts

- <u>Brass Neutral Links Brass Neutral Bars</u> <u>Brass Inserts</u> <u>Brass Nuts</u> <u>Brass Anchors</u> <u>Brass Fasteners</u>
- <u>Brass Turned Parts</u> <u>Brass Cable Glands</u> <u>Brass Hose Fittings</u> <u>Brass Casting Non-Ferrous Castings</u>
- <u>Copper Fittings and Copper Parts</u> <u>Copper Lugs Terminals</u> <u>Copper Bronze Grounding Clamps</u> <u>Copper Bronze Grounding Rods</u> <u>Stainless Steel Fasteners</u> <u>Stainless Steel Hose Fittings</u> <u>Brass Screws</u> <u>Bronze Fittings</u> <u>Brass PPR fittings</u> <u>Brass Washers Copper Washers</u> <u>Brass Terminals Battery terminals</u> •

Brass Connectors • Brass Terminal Blocks

Contact Us

Amu Brass Parts and Components

GIDC, Shanker Tekri Udoygnagar, Jamnagar 361004 Gujrat INDIA

Phone: +91-22-43449300, +91-22-43449323 Fax: +91-22-22834046, +91-22-40023682

Email: mktg@amubrass.com

Visit Our Website: www.amubrass.com